EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4110	347/86.ccls. or 347/85.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/08/29 15:07
S3	4329680	seal$3 or cork$3 or stop$3 or gasket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 12:57
S4	955476	v$shap$3 or pointed or vertex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/01 13:12
S5	17	S1 (S3 with S4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 10:48
S6	4707155	seal$3 or cork$3 or stop$3 or gasket or plug	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 10:56

S7	6961102	v$shap$3 or pointed or vertex or v or point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 10:57
S8	1363	S1 S6 S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 10:58
S9	281	S1 (S6 with S7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 10:59
S10	1	S1 seal near non$porous with raised	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/08/31 13:14
S11	3	S1 seal near non$porous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 11:00
S12	0	"2005/0174400".URPN.	USPAT	AND	OFF	2006/08/31 13:15

S13	2449	S1 S6		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 12:59
S14	1022	S1 S6 and cap		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 13:14
S15	27691	S2 with S4		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 13:14
S16	28505	S3 with S4		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 13:15
S17	60	S3 with S4 and "347"/$3.ccls.		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 13:20
S18	2	"20020060713"		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 13:21

S19	2	"6672704"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 13:21
S20	4144	347/86.ccls. or 347/85.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/12/30 08:02
S21	4144	S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/12/30 08:02
S22	361	rib$1 with cap$3 with outlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/12/30 08:02
S23	4	S20 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/01/13 09:39
S24	0	2004/0036749	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/01/13 08:58

S25	2	"20040036749"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/01/13 08:59
S26	11	"6164769"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/01/13 09:08
S27	2	"20020191059"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/01/13 09:17
S28	3	"6695757"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/01/13 09:46
S29	2	"20030081085"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/01/13 09:46
S30	1	10/774580	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/18 08:51

S31	1841	"347"/$3 and (seal$3 or cork$3 or stop$4 or gasket) same (compress$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/08/29 15:12
S32	1407	"347"/$3 and (seal$3 or cork$3 or stop$4 or gasket) same (compress$4) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/07 11:36
S34	1394	"347"/$3 and (seal$3 or cork$3 or stop$4) same (compress$4) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/08/31 14:05
S35	251	(seal$3 with compress$3) same (outlet or opening) and "347"/$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/05 12:06
S36	1	10/774580	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/05 12:05
S37	218	(seal$3 with compress$3) same (outlet or opening) and "347"/$3 not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/05 13:04

S38	2	10/186872	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/05 12:35
S39	0	10/186872 and (seal$3 and compress$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/05 12:36
S40	0	10/186872 and (compress$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/05 12:36
S41	5	09/930517	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/05 13:04
S42	149	"347"/$3 and (seal$3 or cork$3 or stop$4 or gasket) same (compress$4) same (protrusion or protrud$3) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 11:46
S45	178	"347"/$3 and (seal$3 or cork$3 or stop$4 or gasket) same (compress$4) same (rais$3 or protrusion or protrud$3) not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 12:09

S46	29	S45 not S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 12:07
S47	345	(seal$3 or cork$3 or stop$4 or gasket) same (compress$4) same (rais$3 or protrusion or protrud $3) same (container or cartridge or head or printhead) same ink not silverbrook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 12:10
S48	351	(seal$3 or cork$3 or stop$4 or gasket) same (compress$4) same (rais$3 or protrusion or protrud $3) same (container or cartridge or head or printhead) same ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/09/07 13:56
S49	2	"347"/$3 and ((ring) same (porous or non$porous) same compress$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:15
S50	0	"347"/$3 and ((O adj ring) same (porous or non $porous) same compress$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:16
S51	0	"347"/$3 and ((washer) same (porous or non $porous) same compress$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:16

S52	68	"347"/$3 and ((seal$3 or gasket or cork$3) same (porous or non$porous) same compress$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:19
S53	19	"347"/$3 and ((seal$3 or gasket or cork$3) same (impermeable or non$porous) same compress$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:27
S54	878	"347"/$3 and ((seal$3 or gasket or cork$3) with compress$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:27
S55	19	"347"/$3 and ((seal$3 or gasket or cork$3) with compress$3) and ((seal$3 or gasket or cork$3) with (non$porous or impermeable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:32
S56	0	"347"/$3 and ((o$1ring) same (porous or non $porous) same compress$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:33
S57	6	("6679253" "5631682" "5819798").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:35

S58	6	"6676253" "5631682" "5819798").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:40
S59	1	10/774580	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 14:40
S60	1	(o$1ring) same (impermeable or non$porous) same (compress$4) same (raised with portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/07 14:52
S61	96	jones.in. near bruce	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/07 15:00
S62	0	jones.in. near bruce same TN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/07 14:55
S63	4785	washer same (v$1shape$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/07 15:00

S64	5600	washer or o$1ring) same (v$1shape$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/07 15:08
S65	11	washer or o$1ring) same (v$1shape$1) same (non $porous or impermeable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/07 15:06
S66	2	"5188107".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/07 15:07
S67	226	washer or o$1ring) same (impermeable or non $porous) same (point$3 or v$1shape$1 or raised)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/07 15:13
S68	91	washer or o$1ring) same (impermeable or non $porous) same (point$3 or v$1shape$1 or raised) same (compress$3 or pliable or movable or bend$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/07 15:21
S69	38136	washer or o$1ring) same (point$3 or v$1shape$1 or raised) same (compress$3 or pliable or movable or bend$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/08 08:19

S70	55093	(washer$1 or o$1ring$1 or grommet$1 or gasket$1) same (point$3 or v$1shape$1 or vertex) same (compress$3 or pliable or movable or bend$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/08 08:20
S71	191	(washer$1 or o$1ring$1 or grommet$1 or gasket$1) same (point$3 or v$1shape$1 or vertex) same (compress$3 or pliable or movable or bend$3) same (impermeable or non$porous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/08 08:21
S72	6905	rubber with grommet$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 08:31
S73	1609	(rubber with grommet$1) same (vertex or pointed or point$3 or v or v$1shape$1 or rais$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 09:00
S74	1	10/774580	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 12:36
S75	3409	(277/626,643,644,649,612,647,648).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 15:26

S76	174	S75 and (impermeable or non$porous or leak$proof or air$tight) same (seal$3 or gasket or cork$3 or stop$3 or o$1ring or grommet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/12 15:02
S78	1068	S77 not S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/12 14:34
S79	1182	S75 and (v$shap$2 or apex or vertex or point$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/12 14:34
S80	465	S75 and (i(v$shap$2 or apex or vertex or point$3)) same (seal$3 or gasket or cork$3 or stop$3 or o $1ring or grommet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/12 15:04
S81	1042	S75 and ((v$shap$2 or apex or vertex or point$3)) same (seal$3 or gasket or cork$3 or stop$3 or o $1ring or grommet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/12 15:02
S83	30680	(impermeable or non$porous) same (seal$3 or cork $3 or gasket or o$1ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/12 15:21

S84	4528	(347/85,86).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 15:24
S85	95	S83 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/12 15:27
S86	2	"20040183870"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/12 15:29
S87	1	10/768412	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/12 15:30
S88	5	10/632728	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/13 08:46
S89	0	10/632728 and (porous or impermeable or non $porous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/12 15:30

S90	2	"20040021751"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/13 12:14
S91	1	10/774580	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/13 09:11
S92	1167	seal with ((impermeable with (gas and liquid)) or non $porous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/13 09:55
S93	9	seal with ((impermeable with (gas and liquid)) or non $porous) and "347"/$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/13 09:57
S94	2	"20030081085"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/13 12:14
S95	2	"20040021751"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/18 08:09

S96	2	"20020191059"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/09/18 08:51
S97	0	"200400021751" "20020191059"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/02/10 12:48
S98	2	"200400021751" "20020191059"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 12:50
S99	4	"20040021751" "20020191059"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 13:14
S100	6	"20040021751" "20020191059" "20030081085"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 13:18
S101	1	10/774580	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 13:18

S102	1987	"347"/$3 and rib	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 13:25
S103	625	347/84 or 347/85 or 347/86) and (rib or ribbing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 13:32
S104	188	(347/84 or 347/85 or 347/86) and (rib or ribbing) same (seal$4 or membrane or cork$3 or gasket or plug$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 13:33
S105	7	("20040021751" "20020191059" "20030128257"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 08:46
S106	1	("20040021751" "20020191059" "20030128257"). pn. and compres$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 10:42
S107	0	("20040021751" "20020191059" "20030128257"). pn. and weld	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 10:42

S108	2	"20040021751" "20020191059" "20030128257". pn. and weld$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 10:42
S109	2	"20020130473".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/10/18 13:56
S110	2	"20020191059".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/10/18 14:38
S111	1	10/774580	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/10/18 14:38
S112	813	(seal$3 or non$1porous or water adj (repellant or proof) or rubber or gasket or plug$3 or cork$3 or stop$4) with (v$1shap$3 or pointed or vertex or V or point$2) near3 (between or from or against) near3 (opposing or side$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/28 09:45
S113	73	washer or o$1ring or gasket) with (v$1shap$3 or pointed or vertex or V or point$2) near3 (between or from or against) near3 (opposing or side$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/28 09:53

S114	33481	(washer or o$1ring or gasket) with (v$1shap$3 or pointed or vertex or V or point$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/28 09:53
S115	6985	(washer or o$1ring or gasket) with (v$1shap$3 or pointed or vertex or V or point$2) with seal$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/28 09:54
S116	1312	(washer) with (v$1shap$3 or pointed or vertex or V or point$2) with seal$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/28 10:02
S117	38	(washer) near (v$1shap$3 or pointed or vertex or V or point$2) with seal$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/28 10:02
S118	2	(o$1ring) near (v$1shap$3 or pointed or vertex or V or point$2) near3 (between or from or against) near3 (opposing or side$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/28 10:03
S119	3	(gasket) near (v$1shap$3 or pointed or vertex or V or point$2) near3 (between or from or against) near3 (opposing or side$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/28 10:04

5/30/2008 11:41:40 AM
C:\Documents and Settings\lmartin1\My Documents\EAST\Workspaces\10774580b.wsp